



济宁澳斯贝国际贸易有限公司

Jining Ausebay International Trading co.,ltd

Company website: <https://ausebay.com>

Company Alibaba B2B: <https://ausebay.en.alibaba.com>

Main_product:

(1)Floorings:

Laminate Flooring|spc flooring|bamboo flooring|engineered flooring

(2)Decking:

wpc decking|bamboo decking

(3) Wall panels:

bamboo wall cladding|UV marble sheet|wpc wall board|pine wood wall panels

(4) carpet tiles for hotel&office

(5) Underlay for floorings ,EPE EVA IXPE

(6) Cuter tools for floorings

济宁澳斯贝国际贸易有限公司是一家私营有限责任公司。它位于济宁高新技术开发区。公司产品主要有地板、墙板、瓷砖、装饰材料、机械设备等。并根据客户需求定制产品。作为一家专业的贸易公司，我们提供从产品前期资料调研、产品生产跟踪、产品检验、产品发货的全方位服务。我们的价值是为客户带来更多利润，节省更多时间，减少沟通障碍。我们期待任何在中国有产品需求的客户与我们公司合作。

Jining Ausebay International Trading Co., Ltd. . It is a privately held limited liability company with a registered capital of 200W RMB. It is located in Jining High-tech Development Zone. The company's products are mainly flooring, wall panels, ceramic tiles, decorative materials, and mechanical equipment. And customize products according to customer needs. As a professional trading company, we provide a full range of services from preliminary product data research, product production tracking, product inspection, and product delivery. Our value is to bring more profits to customers, save more time, and reduce communication barriers. We look forward to any customers who have product needs in China to cooperate with our company.

1. Laminate Floorings | Piso Laminado | Floating floors 强化地板

| | |
|---|---|
| Wholesale High Quality Wood Laminated Flooring HDF MDF Floating floor Piso Laminado Laminate Flooring | |
| Density | MDF(710,730,760,780,800kg/m3),HDF(810,830,850,900kg/m3) |
| Thickness | 7mm 8mm 10mm 12mm |
| Size | 1220*200mm/810*150mm/Support OEM |
| Wear layer | ac1 ac2 ac3 ac4 ac5 class21 class22 class23 class31 class32 |
| click system | double click,arc click,single click ,unilin click ,valinge click (Support Lock patent to United States) |
| balance colors | brown colors ,green colors ,beige colors,orange colors |
| Alias Name | laminate flooring(international),piso laminado(Sourth America),floating floor(USA) |
| Colors | ASK online support for catalog ,support thousands of colors |
| Certificate | ISO9001/ ISO14001/ CE SGS |
| MOQ | 500 Square Meters Each color |
| Type | Parquet laminate flooring/Herringbone Laminate Flooring/Standard Laminate Flooring |
| Underpad | 1.5MM EVA 2MM EVA Supported |









2. SPC Flooring | Vinyl Flooring 石塑地板 | 石晶地板

| | |
|--|--|
| Eco-friendly luxury hybrid click vinyl plank virgin Material PVC LVT RVP spc floor Plastic Flooring rigid vinyl spc flooring | |
| Flooring type | Luxury Vinyl Plank Flooring/spc flooring |
| Thickness | 3.5mm,4mm,4.5mm,5mm,6mm |
| Wear layer | 0.2mm,0.3mm,0.5mm(0.3mm=12mil,0.5mm=20mil) |
| Underlayment | 1mm 1.5mm 2mm EVA /IXPE supported |
| Core materials | 100% virgin new materials |
| Size | 1220*182mm/910*150mm |
| Finish | Double UV-Coating |
| Features | Waterproof,Wear resistant,Anti-slip,Moisture Proof,Fireproof. durable, anti-scratch, anti-bacterail. |
| Lock patent | Supported |
| Warranty | 10 years for commercial and 25 years for residential. |
| Lock type | I4F,UNILIN,valinge |
| Eco-friendly luxury hybrid click vinyl plank virgin Material PVC LVT RVP spc floor Plastic Flooring rigid vinyl spc flooring | |




3. LVT Flooring (loose lay | dry back | self adhesive)

| Loose lay LVT Flooring | |
|------------------------|--|
| Product Name | Vinyl Loose Lay Floor |
| Color | Wood & Stone |
| Size | 189*1229MM、189*1855MM、228.6*1219.2MM、228.6*1828.8MM... |
| Thickness | 4.0MM 、 4.5MM、 5.0MM |
| Wear layer | 0.3MM 、 0.5MM 、 0.7MM |
| | |
| Self Adhesive Floor | |
| Product Name | Self Adhesive lvt floor |
| Color | Marble&Wood |
| Size | 152.4x914.4mm |
| Thickness | 1.2mm 1.5mm 1.8mm 2mm |
| Wear layer | 0.15mm 0.2mm 0.3mm |

| | | |
|---|---|--|
|  |  |  |
|  |  |  |
| <p>Loose Lay LVT floor</p> | <p>DRY BACK LVT FLOOR</p> | <p>SELF-ADHESIVE LVT FLOOR</p> |

4. Bamboo Flooring 普竹和重竹地板

| | |
|--|-------------------|
| Wholesale durable Bamboo Decking Horizontal Vertical Strand Woven Type solid Bamboo Flooring | |
| Bamboo Decking Technical Parameter | |
| Density | +/-1200 Kg/m3 |
| Static Bending Strength | 123.8mpa |
| Formaldehyde Emission | 0.2mg/L |
| Fire Rating | Level 1 |
| Biological Durability | Level 1 |
| Modulus Of Elasticity | ≥10000mpa |
| Dip Stripping Property | 5 % |
| Indentation Resistance | ≥ 9.5Kg/mm2 |
| Breaking Strength | 22. 4kn And 600mm |
| Internal Bond Strength | ≥2.0mpa |




5. Engineered Flooring | Sports Flooring

实木地板单独联系，支持各种配置


Directly Concat for more details.....



6. WPC Product

Deckings&wall Panels











7. Bamboo Product






8. Wall Board | Panels&Cladding | pvc sheet

| UV pvc marble sheet | Wpc wall board | Co-construction wpc wall board |
|--|--|--|
|  <p>闪电金</p> |  <p>禅意绿</p> |  <p>莫兰迪白</p> |
|  |  <p>西湖风景</p> |  <p>亮光鱼肚白</p> |
|  |  <p>亮光鱼肚白</p> | <p>Support more colors</p> |

9. WALL PANELS









PVC WALL PANELS

PINE wood wall panels

10. Carpet

Carpet tiles


| materials | pic |
|---------------------------|--|
| Polypropylene carpet tile | <div style="display: flex; justify-content: space-between;"> <div style="display: flex; flex-wrap: wrap;"> <div style="text-align: center; margin: 5px;">  <p>FP1-1</p> </div> <div style="text-align: center; margin: 5px;">  <p>FP1-2</p> </div> <div style="text-align: center; margin: 5px;">  <p>FP1-3</p> </div> <div style="text-align: center; margin: 5px;">  <p>FP1-4</p> </div> <div style="text-align: center; margin: 5px;">  <p>FP1-6</p> </div> <div style="text-align: center; margin: 5px;">  <p>FP1-10</p> </div> </div> <div style="margin-top: 20px; text-align: right;"> <p>编码: FP1 尺寸: 50*50cm 25*100cm 毯面: PP 底背: PVC</p> </div> </div> |

Support more colors.....

Sisal carpet tiles



FBE1-1



FBE1-2



FBE1-3



FBE1-4

编码: FE1
尺寸: 50*50cm
毯面: 剑麻
底背: PVC

Support more colors


nylon carpet tile



FN2-1



FN2-2



FN2-3




FN2-4

编码: FN2
尺寸: 50*50cm
毯面: PA
底背: PVC

Support many more colors.....

printed
carpet tile



Size:50*50CM
nylon front
back pvc/pu/non-woven fabric
dyeing process: Digital Printing

Support more colors

11. furniture (bed, sofa)


Support OEM, ODM





12. Package product

(1)Dunnage bag 集装箱充气袋



(2)货物捆绑带 CARGO STRAP

13. Flooring accessories for bamboo flooring/spc flooring/lamiante flooring

Bamboo Flooring Accessories

1. Wall base / Skirting – finishes the space between bamboo flooring and wall.




Horizontal carbonized
Size: 1950×60/92×15mm



Vertical Carbonized
Size: 1950×60/92×15mm


| | |
|---------------------------------|---|
| <p>Skirting 60 墙角板 60</p> |  |
| <p>Skirting 70</p> |  |
| <p>Skirting 80 墙角板 80</p> |  |
| <p>Skirting 80 墙角板 80</p> |  |
| <p>Skirting 90 墙角板 90</p> |  |
| <p>Skirting 100 墙角板 100</p> |  |

14. Flooring cutter




15. EVA IXPE UNDERLAY | decorate films | wear layer paper | original white films for spc floorings | EPE FILMS







EVA & IXPE 分切地垫



16. CARPET UNDERLAY | sponge rubber underlay
17. COMMERCIAL & INDUSTRIAL MAT
18. MDF Sound-absorbing wall panels (YK)



Outdoor flooring decking wpc



19. Sports floorings

(1)Tennis_court




BX55-56110



BX55-56510



BX55-56210



BX55-56810



BX55-56310





Table Tennis Room / Badminton Court / Multifunction Area

| 适用场所 | 卷长 | 卷宽 | 厚度 |
|-----------------|---------------|------|-------|
| 乒乓球场/羽毛球场/多功能区域 | 15m/20m/可定制长度 | 1.8m | 5.5mm |

- ① PUR 表面处理层
PUR Coating
- ② 纯PVC耐磨层
100% PVC Wear Layer
- ③ 加强层
Reinforced Layer

- ④ 玻璃纤维稳定层
Glass Fiber Stable Layer
- ⑤ 玻璃纤维网格布层
Grid Stable Layer
- ⑥ 双色密闭式发泡缓冲层
100% PVC Two-color Closed-cell Foam Layer



BX55-3443




BX55-3412



BX55-3432



BX55-3431




样块与实物略有色差，以实物为准。

Tennis Court


| 适用场所 | 卷长 | 卷宽 | 厚度 |
|------|-------|-------|-------|
| 网球场 | 23.8m | 1.83m | 5.5mm |

(单位：毫米)

(2)volleyball court,handball court,basketball court



(单位: 毫米)



- ① PUR 表面处理层
PUR Coating
- ② 纯PVC透明耐磨层
100% PVC Wear Layer
- ③ 加强层
Reinforced Layer
- ④ 玻璃纤维稳定层
Glass Fiber Stable Layer
- ⑤ 玻璃纤维网格布层
Grid Stable Layer
- ⑥ 减压层
Decompression Layer
- ⑦ 双色密闭式发泡缓冲层(无钙粉)
100% PVC Two-color Closed-cell
Foam Layer(Calcium Free)

Volleyball Court / Handball Court / Basketball Court/Indoor Football Field / Multifunction Area

| 适用场所 | 卷长 | 卷宽 | 厚度 |
|-------------------------|---------|------|-------|
| 排球场/手球场/篮球场/室内足球场/多功能区域 | 15m/18m | 1.8m | 7.0mm |

(4) dance yoga room



BXDF50-5001



BXDF50-5002



BXDF50-5003



BXDF50-5005



BXDF20-5010(双面)



BXDF20-5010(双面)





- ① 纯PVC耐磨层
100% PVC Wear Layer
- ② 加强层
Reinforced Layer
- ③ 玻璃纤维稳定层
Glass Fiber Stable Layer
- ④ 玻璃纤维网格布层
Grid Stable Layer
- ⑤ 减压层
Decompression Layer
- ⑥ 密闭式发泡缓冲层
Closed-cell Foam Layer

Dance room / Yoga Room

| 适用场所 | 卷长 | 卷宽 | 厚度 |
|---------|-----|------|-------|
| 舞蹈室/瑜伽室 | 20m | 1.8m | 5.0mm |



- 提供个性定制方案
Providing personalized and professional designs
- 图案内嵌
The pattern is under the PVC wear layer
- 厚度可定制
Thickness can be customized

Customized Area / Private Classroom

| 适用场所 | 卷长 | 卷宽 | 厚度 |
|------------------|-------|-----------|---------------------------------------|
| 个性定制区域/ 360私教 | 可定制长度 | 1.5m/1.8m | 2.0mm/3.0mm /4.5mm/6.0mm /8.0mm |



Contract supplier for more exactly catalogs

Lastly ==> we can be your purchase agent in china ,if you believe us!!!!!!

==> we need long-term cooperation

====>We take our reputation very seriously

From Manager of Ausebay Trading.

Jason Hu....