


Linhai Chenlang Outdoor Products Co., Ltd



CONTENTS



1. Factory Profile

About us

Line of Business

About Us





Area: 15,500m2

Line of Business





Turnover

8 million USD

Products

Patio Umbrellas **Garden Dinning Sets Garden Supplies**

Working Team

Employee: 78 employees

/ 3 engineers

Certification











Business Social Compliance Initiative



2. Production Lines

Workshops

Warehouse

Workshops





- Spray line
- Laser cutting machine
- Fabric cutting



Warehouse









Market

Offset

Cantilever


Bases





























Details



Specification

■ Size: 2.3m/2.7m/3m

■ Pole: 38mm

■ Ribs: 6ribs or 8ribs, 12*18mm

■ Tilt: with or without





Details



Specification


■ Size: 2.7m/3m

■ Pole: 38mm

■ Ribs: 6ribs or 8ribs, 12*18mm

■ LED: Each rib has 4pcs solar led lights,





Round

Square

Details









Specification

■ Size: 2.7m/3m

■ Pole: 38mm


■ Ribs: 6ribs or 8ribs, 12*18mm

■ LED: Each rib has 4pcs solar led lights,





Details



Specification

■ Size: 2.7m/3m

■ Pole: 38mm

■ Ribs: 8ribs, 12*18mm

■ LED: NO light or Each rib has 4pcs solar led lights or with 8pcs led strips,









Specification

■ Size: 1.8*1.3M

■ Top upright pole: steel φ28MM,

■ Bottom pole: steel φ32MM,

■ Center pole: steel φ28MM,

Double Sided







Details



Specification

■ Size: 2.7x4.6M

Center pole: steel 48MM,

■ Ribs:12K, steel 12*18MM,

■ LED: NO light or Each rib has 3pcs solar led lights,





Details



Specification

■ Size: 2.7m/3m

■ Side pole: steel 48MM,

■ Hanging tube(2pcs): steel 42MM

■ Ribs: 8K, steel 12*18MM,



Aluminum oxidation





Steel







• Enclosed design: prevent the rainwater permeating and back-flowing to the handle to avoid the rusting of the handle

 Self locking function: improve the rigid of hinge and reduce wobbling of the umbrella




Reinforcement Simple and Elegant
Brand new structure makes the parts
sturdier and more durable

concealed screw design avoid the possibility of screw rusting

Stainless steel rivet







Windproof rope, Add one more wind protection

5.



· Aided handle ,Rotary knob positioning

With slipped handle and sturdy parts, it is more easeful and convenient to operate, Plastic parts don't turn white and break

Rotary knob design enlarges the contact surface between the slider and the pole, can be positioned in any position. Adjust shade for multiple angles







· Built-in connection and Both way non-Both way non-slip design prevents loosing of rope and wobbling of umbrella

Human mechanics design makes manual pushed more easeful and convenient

Bulletproof rope







Technical Report: (6622)287-0552Revised OCT.14, 2022 Revised Date: OCT.24, 2022 Page 3 of 4

TEST RESULT

1. Wind Resistance test

| Item | Test method / requirement | Test result | Rating |
|----------------------------|--|--|--------|
| Wind Resistance test | Test for 5 minutes without functional damage Level 5 (8.0~10.7m/s) Level 6 (10.8~13.8m/s) | Level 5: 9.5 m/s sample no damage Level 6: 12.8 m/s The overall structure and function are normal, except that the plastic and pipe of the bayonet of the umbrella rod are somewhat deformed | DATA |



Cantilever Umbrellas





Details







Specification

■ Size: 2.5m/3m

■ Aluminum tube: 53*77MM

■ Ribs: 8K,aluminum 14*24MM

■ Fabric: 230g polyester

■ 360 degree plate rotating base with feet

Cantilever Umbrellas





Details



Specification

■ Size: 2.5m/3m

■ Aluminum tube: 53*77MM

■ Titanium steel square oblique rod/pull rod: 40*25MM,

■ Ribs: 8K, aluminum 14*24MM,

■ Fabric: 250g polyester

■ 360 degree plate rotating base with feet


Support




Available Colours



Customized Logo






Patio Umbrella Base













CL-BA012

CL-BA023

CL-BA017

CL-BA018

CL-BA019











CL-BA020

CL-BA021

CL-BA024

CL-BA024

CL-BA025





















Garden Dinning Sets









CL-TC004 CL-TC006



